**Exercise 1: PRINCIPLES OF FLIGHT** 

#### Purpose


To review and reinforce your knowledge of principles of flight


#### **Directions**

Print out and complete. Items 1-15 are short answer. Write your answer(s) in the space(s) provided.

### Fill in the Blank(s)


1. The creation of lift is explained by two propositions. Identify each using the following graphics.






### Fill in the Blank(s) (Cont'd)

2. Identify the forces affecting an aircraft in flight.




3. An airfoil creates lift. Label the parts of an airfoil.




## Fill in the Blank(s) (Cont'd)


4. For an aircraft in flight, wind flows in a direction parallel with and opposite to the direction of flight. Identify this wind.




5. Lift is increased or decreased as the pitch of the airfoil is changed. Label the three components affecting this phenomenon.



Fill in the Blank(s) (Cont'd) 6. Changes in an aircraft's attitude are described as movement about three axes. Name them.




7. What are the primary control surfaces affecting movement about these axes?



Fill in the Blank(s) (Cont'd) 8. Complete the following labels.









Fill in the Blank(s) (Cont'd) 9. Air density greatly affects aircraft performance. What are three variables that determine air density?

10. Indicate the conditions that affect aircraft performance.



# Fill in the Blank(s) (Cont'd)

- 11. The rotor blade of a helicopter is an airfoil and functions the same as a wing on a conventional aircraft. Name the three devices that control the rotor blade.
- 12. Label the flight controls.



Fill in the	13. Lift is created as air flows smoothly over an airfoil. A stall occurs when
Blank(s)	the of is exceeded.
(Cont'd)	
	14. Air stops flowing smoothly over an airfoil between and degrees angle of attack.
	15. What are the three primary causes of stalls?

### SUPPLEMENTAL EXERCISE: PRINCIPLES OF FLIGHT

(Continued)

Fill	in	the
Bla	nk	(s)
(Co	nt'	'd)

13.	Lift is created as air flows smoothly over an airfoil. A stall occurs whee of is exceeded.	nen
	ANSWER: critical angle; attack	
14.	Air stops flowing smoothly over an airfoil between and degrees angle of attack.	
	<b>ANSWER:</b> 15; 20	
15.	What are the three primary causes of stalls?	
	ANSWER: Insufficient airspeed; excessively violent flight maneuver severe wind shear	

50043/50143-LP12 / V.1.09 61

#### SUPPLEMENTAL EXERCISE: PRINCIPLES OF FLIGHT

(Continued)

#### Student Answer Sheet

#### Question 1:

- A. Bernoulli's Principle
- B. Newton's Third Law of Motion

#### Question 2:

- A. Thrust
- B. Lift
- C. Weight
- D. Drag

#### Question 3:

- A. Leading edge
- B. Trailing edge
- C. Chord line

#### Question 4:

A. Relative wind

#### Question 5:

- A. Angle of attack
- B. Chord line
- C. Flight path

#### Question 6:

- A. Vertical
- B. Lateral
- C. Longitudinal

#### Question 7:

- A. Rudder
- B. Elevator
- C. Aileron

#### Question 8:

- A. Yaw
- B. Pitch
- C. Roll

#### Question 9:

- A. Temperature
- B. Humidity
- C. Altitude

Continued on next page

50043/50143-LP12 / V.1.09 62